

GO! QUBE Companion Angles 8" Starry Path Quilt

Finished Size: 60" x 60"



Dies Needed:

GO! Qube Mix & Match 8" Block (55776)

- GO! Square-4-1/2" (4" Finished) (Shape 1)
- GO! Half Square Triangle- 4" Finished Square (Shape 3)
- GO! Half Square Triangle- 2" Finished Square (Shape 5)

GO! Qube Mix & Match 8" Companion Set-Angles (55789)

- GO! Triangle in a Square-Center-4" Finished Square (Shape 13)
- GO! Triangle in a Square-Sides-4" Finished Square (Shape 14)
- GO! Trapezoid 45°-115/16"H x 63/8"W Cut (4" Finished Square) (Shape 16)

Additional Dies Needed

- GO! Strip cutter 2-1/2" (2" Finished) (55017 or 55014)
- GO! Strip Cutter 4-1/2" (4" Finished) (55054)

Fabric Requirements:

Fabric Color	Total Yardage
8 Different red, pink and black fabrics	Fat Quarter of each
White	2 yards
Pink (inner border)	1/2 yard
Red (outer border)	5/8 yard
Binding fabric	5/8 yard
Batting	64" x 64"
Backing	66" x 66"

Cutting Directions:

Fabric Color	Die	Number of Shapes to Cut
8 Fat Quarters	GO! Triangle in a Square-Sides-4" Finished Square (Shape 14)	From leftover FQs fanfold and cut 16—Triangle in a square side (8 of each right and left side)
8 Fat Quarters	GO! Trapezoid 45°-115/16"H x 63/8"W Cut (4" Finished Square) (Shape 16)	From each Fat Quarter (FQ) cut 10— Trapezoids.
8 Fat Quarters	GO! Half Square Triangle- 2" Finished Square (Shape 5)	From leftover FQs cut 2—2" finished half square triangles.
White	GO! Square-4-1/2" (4" Finished) (Shape 1)	Cut 2—5" x Width of Fabric (WOF) strips. Fanfold into 5" widths. Sub cut into 16—4" finished squares.
White	GO! Half Square Triangle- 4" Finished Square (Shape 3)	Cut 4—5-1/4" x WOF strips. Fanfold into 5-1/4" widths. Sub cut into 48—4" finished half square triangles.
White	GO! Half Square Triangle- 2" Finished Square (Shape 5)	Cut 3—3-3/4" x WOF strips. Fanfold into 3" widths. Sub cut into 64—2" finished half square triangles.
White	GO! Triangle in a Square-Center-4" Finished Square (Shape 13)	Cut 6—5" x WOF strips. Fanfold once to minimize waste. Sub cut into 64—4" finished triangle in a square—centers.



Pink	GO! Strip cutter 2-1/2" (2" Finished) (55017 or 55014)	Cut 2—8" WOF strips. Fold and sub cut into 6—2-1/2" WOF strips.
------	--	---

Red	GO! Strip Cutter 4-1/2" (4" Finished) (55054)	Cut 4—9-1/2" WOF strips. Fold and sub cut into 6—4-1/2" WOF strips.
-----	--	---

Sewing Directions:

Press all seams open and use 1/4" seams, unless otherwise indicated.

Star Block

NOTE: Directions will be for one 12" finished block. Make 16 blocks.

1. Sew a White 2" Half square triangle to short angled side of a random colored trapezoid. Make 4 per block.
2. Sew a random colored 2" Half square triangle to short angled side of a random colored trapezoid. Make 1 per block.
3. Sew 1 trapezoid unit with a white half square triangle together with a trapezoid unit with a colored half square triangle.
4. Sew a white 4" Half Square triangle together with a trapezoid unit with a white half square triangle. Make 3 per block.
5. Sew random colored 4" triangle in a square sides to each side of a white 4" triangle in a square center. Make 4 per block.
6. With a White 4" finished square and units above, sew the block together as shown, paying attention the direction of the trapezoid units.




Assemble the Quilt Top

1. Lay out blocks in 4 rows of 4 blocks each as shown in quilt diagram. Sew blocks together into rows. Press seams to one side.
2. Sew rows together. Press seams in opposite directions

Borders

1. Cut 2 pink border strips in half and sew these to short ends of remaining border strips.
2. Trim 2 to 48-1/2" and sew to sides of quilt top. Press toward borders now and throughout.
3. Trim remaining 2 to 52-1/2" and sew to top and bottom of the quilt.
4. Cut 2 red border strips in half and sew to short ends of remaining border strips.
5. Trim 2 to 52-1/2" and sew to sides of quilt.
6. Trim remaining 2 to 60-1/2" and sew to top and bottom.



Quilting and Finishing

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding (made from 7—2-1/2" WOF strips), mitering corners.

