

## GO! Spinning Spool Quilt

Finished Size 30½" x 38"  
Finished block size 6"

*Fabrics provided by P&B Textiles*



### GO!® Dies Used, Number of Shapes to Cut & Fabric Requirements

Fabric Color	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Black	GO! Spool-6" Finished (55180)	Cut 2—10¼" x width of fabric (WOF) strips. Fanfold into 4" widths. Sub cut into 14—Spool Ends, 12—Background Rectangles, 24—Background Triangles and 28—Thread Rectangles.	¾ yard
Black	GO! Strip Cutter-2" (1½" Finished) (55025) <b>or</b> GO! Square-2" (1½" Finished) (55022)	Cut 1—2" x WOF strip using the GO! Strip Cutter-2". Sub cut into 12—2" x 2" Cornerstones. <b>OR</b> Cut 1—6½" x WOF strip using the GO! Square-2". Fanfold into 4½" widths. Sub cut into 12—2" squares for Cornerstones.	Yardage included above
Assorted Greens	GO! Spool-6" Finished (55180)	Cut 13—7½" x 3½" rectangles. Sub cut into 26—Spool Ends and 28—Thread Rectangles.	¾ yard total

Cream	GO! Spool-6" Finished (55180)	Cut 2—10¼" x WOF strips. Fanfold into 4" widths. Sub cut into 28—Background Rectangles, 56—Background Triangles and 24—Thread Rectangles.	1 1/3 yards
Cream	GO! Strip Cutter-2" (1½" Finished) (55025)	Cut 7—2" x WOF strips. Sub cut into 31—2" x 6½" sashing strips.	Yardage included above
Cream	GO! Strip Cutter-2" (1½" Finished) (55025)	Cut 4—2" x WOF strips. Set aside for border.	Yardage included above

### Additional Fabrics Needed:

- Binding—1/2 yard – Cut 5—2½" x WOF strips using GO! Strip Cutter-2½" (2" Finished) (55014 or 55017)
- Batting—36" x 42"
- Backing—1 yard

### Sewing Directions:

1. Lay out one black spool end and two cream background triangles as shown.
2. Sew together pressing seams towards the black spool end.
3. Repeat previous two steps to make a total of two black spool ends.
4. Lay out four assorted green thread rectangles as shown.
5. Sew rectangles together and press seams in the same direction. Block should measure 3½" x 3½".
6. Lay out two cream background rectangles and one assorted green thread block as shown to make one assorted green thread row.



Spool End




Thread Block




Thread Row


7. Sew together pressing seams towards the cream rectangles.
8. Lay out two black spool ends and one assorted green thread row as shown.
9. Sew rows together pressing seams towards the assorted green thread row. Block should measure 6½" x 6½".
10. Repeat previous nine steps to make a total of seven Fabric #1 Spool Blocks.
11. Repeat previous ten steps to make the following blocks:
  - **Fabric #2 Spool Block:** Make a total of seven blocks using 14 assorted greens spool ends, 28 cream background triangles, 14 cream background rectangles and 28 black thread rectangles.
  - **Fabric #3 Spool Block:** Make a total of six blocks using 12 assorted green spool ends, 24 black background triangles, 12 black background rectangles and 24 cream thread rectangles.
12. Lay out seven Fabric #1 Spool Blocks, seven Fabric #2 Spool Blocks, six Fabric #3 Spool Blocks, 31 cream sashing rectangles and 12 black cornerstones as shown.
13. Pin and sew blocks into rows. Press seams in opposite directions.
14. Pin and sew rows together. Press seams in the same direction to make the center of the quilt.
15. Measure the length of the quilt in the center. Cut two cream border strips to this length.
16. Pin and sew the borders onto the left and right sides of the quilt pressing towards the borders.



Fabric #1 Spool Block




Fabric #2 Spool Block



Fabric #3 Spool Block

17. Measure the width of the quilt in the center. Cut two cream border strips to this length.
18. Pin and sew the borders onto the top and bottom of the quilt pressing towards the borders.



### Quilting and Finishing:

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Attach bias binding, mitering the corners.